
Ward
Release 0.67.1b0

Darren Burns

Jan 26, 2023

USER GUIDE

1	Features	3
2	Installation	5
3	A Quick Taste	7
3.1	Writing Tests	7
3.2	Running Tests via the CLI	13
3.3	Fixtures	19
3.4	Extending Ward	24
3.5	Configuration	28
3.6	Your First Tests	29
3.7	Testing a Flask App	32
3.8	<code>ward.testing</code>	35
3.9	<code>ward.fixtures</code>	38
3.10	<code>ward.config</code>	39
3.11	<code>ward.hooks</code>	40
3.12	<code>ward.models</code>	41
3.13	<code>ward.expect</code>	41
	Python Module Index	45
	Index	47

Ward is a Python testing framework with a focus on productivity and readability. It gives you the tools you need to write **well-documented** and **scalable** tests.

```
PASS test_collect:256 test modules and mro chain are added to sys.modules 83%
PASS test_collect:265 [1/3] _build_package_name constructs package name '' from 'foo.py' 84%
PASS test_collect:265 [2/3] _build_package_name constructs package name 'foo' from 'foo/bar.py' 86%
PASS test_collect:265 [3/3] _build_package_name constructs package name 'foo.bar' from 'foo/bar/baz.py' 88%
SKIP test_collect:276 [1/3] _build_package_name constructs package name '{pkg}' from '{path}' Skipped on Unix 89%
SKIP test_collect:276 [2/3] _build_package_name constructs package name '{pkg}' from '{path}' Skipped on Unix 91%
SKIP test_collect:276 [3/3] _build_package_name constructs package name '{pkg}' from '{path}' Skipped on Unix 92%
PASS test_fixtures:231 Fixture.parents returns an empty collection if the fixture has no parents 94%
PASS test_testing:535 @test collects tests into specified data structure 95%
PASS test_testing:543 @test doesn't collect items from non-test modules 97%
PASS test_testing:552 @test doesn't tests imported from another test module 98%
```

Results		
64	Tests Encountered	
61	Passes	(95.3%)
3	Skips	(4.7%)

SUCCESS in 0.26 seconds

\$ 14:48:40

FEATURES

- Describe your tests using strings instead of function names
- Use plain `assert` statements, with no need to remember `assert*` method names
- Beautiful output that focuses on readability
- Manage test dependencies using a simple but powerful *fixture system*
- *Parameterised testing* allows you to run a single test on multiple inputs
- Support for *testing async code*
- Supported on MacOS, Linux, and Windows
- Configurable with *pyproject.toml*, but works out-of-the-box with sensible defaults
- Extendable via a plugin system (coming soon)
- Speedy – Ward’s suite of ~300 tests completes in ~0.4 seconds on my machine

INSTALLATION

Ward is available on PyPI, and can be installed with `pip install ward` (Python 3.6+ required).

A QUICK TASTE

Here's a simple example of a test written using Ward:

```
# file: test_example.py
from ward import test

@test("the list contains 42")
def _():
    assert 42 in [-21, 42, 999]
```

To run the test, simply run ward in your terminal, and Ward will let you know how it went:

```
Found 1 tests and 0 fixtures in 0.01 seconds.

PASS test_example:5 the list contains 42

Results
 1 Tests Encountered
 1 Passes (100.0%)

SUCCESS in 0.01 seconds
```

3.1 Writing Tests

3.1.1 Descriptive testing

Tests aren't only a great way of ensuring your code behaves correctly, they're also a fantastic form of documentation. Therefore, a test framework should make describing your tests in a clear and concise manner as simple as possible.

Ward lets you describe your tests using strings, allowing you to be as descriptive as you'd like:

```
from ward import test

@test("simple addition")
def _():
    assert 1 + 2 == 3
```

The description of a test is a format string, and may refer to any of the parameters (variables or fixtures) present in the test signature. This makes it easy to keep your test data and test descriptions in sync:

```
@fixture
def three():
    yield 3

@test("{a} + {b} == {result}")
def _(a=1, b=2, result=three):
    assert a + b == result
```

During the test run, Ward will print the test description to the console.

Tests will only be collected from modules with names that start with “*test_*” or end with “*_test*”.

3.1.2 Tagging tests

You can tag tests using the `tags` keyword argument of the `@test` decorator:

```
@test("simple addition", tags=["unit", "regression"])
def _():
    assert 1 + 2 == 3
```

Tags provide a powerful means of grouping tests and associating queryable metadata with them.

When running your tests, you can filter which ones you want to run using tag expressions.

Here are some ways you could use tags:

- Linking a test to a ticket from an issue tracker: “*BUG-123*”, “*PULL-456*”, etc.
- Describe what type of test it is: “*small*”, “*medium*”, “*big*”, “*unit*”, “*integration*”, etc.
- Specify which endpoint your test calls: “*/users*”, “*/tweets*”, etc.
- Specify which platform a test targets: “*windows*”, “*unix*”, “*ios*”, “*android*”

With your tests tagged you can now run only the tests you care about. To ask Ward to run only integration tests which target any mobile platform, you might invoke it like so:

```
ward --tags "integration and (ios or android)"
```

For a deeper look into tag expressions, see the [running tests](#) page.

3.1.3 Using assert statements

Ward lets you use plain `assert` statements when writing your tests, but gives you considerably more information should the assertion fail than a typical *assert* statement. It does this by modifying the abstract syntax tree (AST) of any collected tests. Occurrences of the *assert* statement are replaced with a function call, depending on which comparison operator was used.

Currently, Ward only rewrites `assert` statements that appear directly in the body of your tests. If you use helper methods that contain `assert` statements and would like detailed output, you can use the helper `assert_{op}` methods from `ward.expect`.

3.1.4 Parameterised testing

A parameterised test is where you define a single test that runs multiple times, with different arguments being injected on each run.

The simplest way to parameterise tests in Ward is to write your test inside a loop. In each iteration of the loop, you can pass different values into the test:

```
for lhs, rhs, res in [
    (1, 1, 2),
    (2, 3, 5),
]:

    @test("simple addition")
    def _(left=lhs, right=rhs, result=res):
        assert left + right == result
```

You can also make a reference to a fixture and Ward will resolve and inject it:

```
@fixture
def five():
    yield 5

for lhs, rhs, res in [
    (1, 1, 2),
    (2, 3, five),
]:

    @test("simple addition")
    def _(left=lhs, right=rhs, result=res):
        assert left + right == result
```

Ward also supports parameterised testing by allowing multiple fixtures or values to be bound as a keyword argument using the `each` function:

```
from ward import each, fixture, test

@fixture
def six():
    return 6

@test("an example of parameterisation")
def _(
    a=each(1, 2, 3),
    b=each(2, 4, six),
):
    assert a * 2 == b
```

Although the example above is written as a single test, Ward will generate and run 3 distinct tests from it at run-time: one for each item passed into `each`.

The variables `a` and `b` take the values `a=1` and `b=2` in the first test, `a=2` and `b=4` in the second test, and the third test will be passed the values `a=3` and `b=6`.

If any of the items inside `each` is a fixture, that fixture will be resolved and injected. Each of the test runs are considered *unique tests* from a fixture scoping perspective.

Warning: All occurrences of `each` in a test signature must contain the same number of arguments.

Using `each` in a test signature doesn't stop you from injecting other fixtures as normal:

```
from ward import each, fixture, test

@fixture
def book_api():
    return BookApi()

@test("BookApi.get_book returns the correct book given an ISBN")
def _(
    api=book_api,
    isbn=each("0765326353", "0765326361", "076532637X"),
    name=each("The Way of Kings", "Words of Radiance", "Oathbringer"),
):
    book: Book = api.get_book(isbn)
    assert book.name == name
```

Ward will expand the parameterised test above into 3 distinct tests.

In other words, the single parameterised test above is functionally equivalent to the 3 tests shown below:

```
@test("[1/3] BookApi.get_book returns the correct book given an ISBN")
def _(
    api=book_api,
    isbn="0765326353",
    name="The Way of Kings",
):
    book: Book = api.get_book(isbn)
    assert book.name == name

@test("[2/3] BookApi.get_book returns the correct book given an ISBN")
def _(
    api=book_api,
    isbn="0765326361",
    name="Words of Radiance",
):
    book: Book = api.get_book(isbn)
    assert book.name == name

@test("[3/3] BookApi.get_book returns the correct book given an ISBN")
def _(
    api=book_api,
    isbn="076532637X",
    name="Oathbringer",
```

(continues on next page)

(continued from previous page)

```

):
    book: Book = api.get_book(isbn)
    assert book.name == name

```

If you'd like to use the same `book_api` instance across each of the three generated tests, you'd have to increase its scope to module or global.

Currently, each can only be used in the signature of *tests*.

3.1.5 Checking for exceptions

The test below will pass, because a `ZeroDivisionError` is raised. If a `ZeroDivisionError` wasn't raised, the test would fail:

```

from ward import raises, test

@test("a ZeroDivision error is raised when we divide by 0")
def _():
    with raises(ZeroDivisionError):
        1 / 0

```

If you need to access the exception object that your code raised, you can use `with raises(<exc_type>)` as `<exc_object>`:

```

def my_func():
    raise Exception("oh no!")

@test("the message is 'oh no!'")
def _():
    with raises(Exception) as ex:
        my_func()
    assert str(ex.raised) == "oh no!"

```

Note that `ex` is only populated after the context manager exits, so be careful with your indentation.

If an instance of a *subclass* of the exception you pass to `raises` is raised by the code under test, `raises` will catch that too.

3.1.6 Testing *async* code

You can declare any test or fixture as `async` in order to test asynchronous code:

```

@fixture
async def post():
    return await create_post("hello world")

@test("a newly created post has no children")
async def _(p=post):
    children = await p.children

```

(continues on next page)

(continued from previous page)

```

    assert children == []

@test("a newly created post has an id > 0")
def _(p=post):
    assert p.id > 0

```

3.1.7 Skipping a test

Use the `@skip` decorator to tell Ward not to execute a test:

```

from ward import skip

@skip
@test("I will be skipped!")
def _():
    ...

```

You can pass a reason to the `skip` decorator, and it will be printed next to the test name/description during the run:

```

@skip("not implemented yet")
@test("everything is okay")
def _():
    ...

```

To conditionally skip a test in some circumstances (for example, on specific OS's), you can supply a `when` predicate to the `@skip` decorator. This can be either a boolean or a Callable, and will be evaluated just before the test is scheduled to be executed. If it evaluates to `True`, the test will be skipped. Otherwise the test will run as normal.

Here's an example of a test that is skipped on Windows:

```

import platform

@skip("Skipped on Windows", when=platform.system() == "Windows")
@test("_build_package_data constructs package name '{pkg}' from '{path}'")
def _(
    pkg=each("", "foo", "foo.bar"),
    path=each("foo.py", "foo/bar.py", "foo/bar/baz.py"),
):
    m = ModuleType(name="")
    m.__file__ = path
    assert _build_package_data(m) == pkg

```

```

PASS test_collect:272[1/3] _build_package_name constructs package name '' from 'foo.py'
PASS test_collect:272[2/3] _build_package_name constructs package name 'foo' from 'foo/bar.py'
PASS test_collect:272[3/3] _build_package_name constructs package name 'foo.bar' from 'foo/bar/baz.py'
SKIP test_collect:283[1/3] _build_package_name constructs package name '{pkg}' from '{path}'
SKIP test_collect:283[2/3] _build_package_name constructs package name '{pkg}' from '{path}'
SKIP test_collect:283[3/3] _build_package_name constructs package name '{pkg}' from '{path}'
PASS test_config:56 read_config_toml reads from only [tool.ward] section

```

3.1.8 Expecting a test to fail

You can mark a test that you expect to fail with the `@xfail` decorator.

```
from ward import xfail

@xfail("its really not okay")
@test("everything is okay")
def _():
    ...
```

If a test decorated with `@xfail` *does* indeed fail as we expected, it is shown in the results as an XFAIL.

You can conditionally apply `@xfail` using the same approach as we described for `@skip` above.

For example, we expect the test below to fail, but *only* when it's run in a Python 3.6 environment.

```
from ward import xfail

@xfail("expected fail on Python 3.6", when=platform.python_version().startswith("3.6"))
@test("everything is okay")
def _():
    ...
```

If a test marked with this decorator passes unexpectedly, it is known as an XPASS (an unexpected pass).

If an XPASS occurs during a run, the run will be considered a failure.

3.2 Running Tests via the CLI

To find and run tests in your project, you can run `ward` without any arguments.

This will recursively search through the project for modules with a name starting with `test_` or ending with `_test`, and execute any tests contained in the modules it finds.

3.2.1 Test outcomes

A test in Ward can finish with one of several different outcomes. The outcome of a test will be clearly indicated during the run, and a summary of those outcomes is displayed after the run completes or is cancelled.

- **PASS:** The test passed. It completed without any exceptions occurring or assertions failing.
- **FAIL:** The test failed. An exception occurred or an assertion failed.
- **SKIP:** The test was skipped. It wasn't executed at all because it was decorated with `@skip`.
- **XFAIL:** An expected failure. The test is decorated with `@xfail`, indicating that we currently expect it to fail... and it did!
- **XPASS:** An unexpected pass. The test is decorated with `@xfail`, indicating that we expected it to fail. However, the test passed unexpectedly.
- **DRYRUN:** The status is only used during a dry-run (using the `--dry-run` option). The test nor any injected fixtures were executed.

Results		
6 Tests Encountered		
1	Passes	(16.7%)
2	Failures	(33.3%)
1	Skips	(16.7%)
1	Expected Failures	(16.7%)
1	Unexpected Passes	(16.7%)

3.2.2 Specifying test paths with `--path`

You can run tests in a specific directory or module using the `--path` option. For example, to run all tests inside a directory named `tests`: `ward --path tests`.

To run all the tests in your project, you can just type `ward` from anywhere inside your project.

Ward considers your project to be the directory containing your `pyproject.toml` config file and all directories within. If you don't have a `pyproject.toml` file, then Ward will look for a `.git` or `.hg` folder/file and consider that as your project root.

If Ward cannot find a project root, the running `ward` without a `--path` is equivalent to running `ward --path ..`

You can directly specify a test module, for example: `ward --path tests/api/test_get_user.py`.

You can supply multiple test directories by providing the `--path` option multiple times: `ward --path "unit" --path "integration"`.

Ward will run all tests it finds across all given paths. If one of the specified paths is contained within another, they'll only be included once. Ward will only run a test once per session.

3.2.3 Excluding modules or paths with `--exclude`

You can tell Ward to ignore specific modules or directories using the `--exclude` command line option. For example:

```
ward --exclude path/to/dir1 --exclude path/to/dir2
```

You can also exclude paths using `pyproject.toml`:

```
[tool.ward]
exclude = ["tests/resources", "tests/utilities.py"]
```

3.2.4 Selecting tagged tests with `--tags`

You can select which tests to run based on a “test expressions” using the `--tags` option: `ward --tags EXPR`.

A tag expression is an infix boolean expression that can be used to accurately select a subset of tests you wish to execute. Tests are tagged using the `tags` keyword argument of the `@test` decorator (e.g. `@test("eggs are green", tags=["unit"])`).

For example, if you wanted to run all tests tagged with either `android` or `ios`, run `ward --tags "android or ios"`.

Here are some examples of tag expressions and what they mean:

- `slow`: tests tagged with `slow`
- `unit and integration`: tests tagged with both `unit` and `integration`
- `big and not slow`: tests tagged with `big` that aren't also tagged with `slow`
- `android or ios`: tests tagged with either `android` or `ios`

You can use parentheses in tag expressions to change the precedence rules to suit your needs.

3.2.5 Loosely search for tests with `--search`

You can choose to limit which tests are collected and ran by Ward using the `--search` option. Module names, test descriptions and test function bodies will be searched, and those which contain the argument will be ran.

Here are some examples:

- Run all tests that call the `fetch_users` function: `ward --search "fetch_users("`
- Run all tests that check if a `ZeroDivisionError` is raised: `ward --search "raises(ZeroDivisionError)"`
- Run all tests decorated with the `@xfail` decorator: `ward --search "@xfail"`
- Run a test described with `"my_function should return False"`: `ward --search "my_function should return False"`
- Running tests inside a module: The search takes place on the fully qualified name, so you can run a single module (e.g. `my_module`) using the following command: `ward --search my_module.`

Of course, if a test name or body contains the string `"my_module."`, that test will also be selected and will run.

This approach is useful for quickly running tests which match a simple query, making it useful for development.

3.2.6 Customising the output with `--test-output-style`

As your project grows, it may become impractical to print each test result on its own line. Ward provides alternative test output styles that can be configured using the `--test-output-style` option.

```
ward --test-output-style [test-per-line|dots-module|dots-global|live]
```

test-per-line (default)

The default test output of Ward looks like this (`--test-output-style=test-per-line`):

```

Ward 0.51.0b0
Found 7 tests and 0 fixtures in 0.01 seconds.
PASS test_my_module:26 group returns expected result for regular function
SKIP test_my_module:32 group returns empty dict on None items
XFAI test_my_module:39 group returns empty dict on None key Known issue, see Jira XY-1234
XPAS test_my_module:46 descriptions support Markdown syntax
FAIL test_my_module:53 this test throws an exception
FAIL test_my_module:58 this test will fail due to non-equal strings
FAIL test_my_module:63 this test prints to std_out

```

dots-module

If you run Ward with `--test-output-style=dots-module`, each module will be printed on its own line, and a single character will be used to represent the outcome of each test in that module:

```

Ward 0.51.0b0
Found 9 tests and 0 fixtures in 0.01 seconds.

another_test.py: .F
test_my_module.py: .-xUFFF

```

dots-global

If that is still too verbose, you may wish to represent every test outcome with a single character, without grouping them by modules (`--test-output-style=dots-global`):

```

Ward 0.51.0b0
Found 9 tests and 0 fixtures in 0.01 seconds.

.F.-xUFFF

```

live

Using `--test-output-style=live` will cause Ward to output results in the format shown below.

3.2.7 Displaying test session progress with `--progress-style`

Ward offers two ways of informing you of progress through a test run: inline progress percentage (on by default), and/or a dynamic progress bar.

By default, the percentage progress through a test run will appear at the right hand side of the output, which corresponds to `--progress-style inline`.

You can also have Ward display a dynamic progress bar during the test run, using the `--progress-style bar` option.

If you wish, can pass supply `--progress-style` with multiple times (to display a progress bar and inline progress, for example).

Warning: The progress bar is currently only available with the default output mode (`--test-output-style test-per-line`).

3.2.8 Output capturing

By default, Ward captures everything that is written to stdout and stderr as your tests run. If a test fails, everything that was printed during the time it was running will be printed as part of the failure output.

```

----- this test prints to std_out -----
Failed at test_my_module.py:66

----- Traceback (most recent call last) -----
/Users/darrenburns/Code/sample_tests/./test_my_module.py:66 in _
    63 @test("this test prints to std_out")
    64 def _():
    65     print("hello i am on stdout")
) 66     assert False

AssertionError:

Captured stdout

hello i am on stdout

```

With output capturing enabled, if you run a debugger such as `pdb` during test execution, everything it writes to the stdout will be captured by Ward too.

Disabling output capturing with `--no-capture-output`

If you wish to disable output capturing you can do so using the `--no-capture-output` flag on the command line. Anything printed to stdout or stderr will no longer be captured by Ward, and will be printed to the terminal as your tests run, regardless of outcome.

You can also disable output capturing using the `capture-output` config in your `pyproject.toml`:

```
[tool.ward]
capture-output = false
```

3.2.9 Randomise test execution order with `--order random`

Use `--order "random"` when running your tests to have Ward randomise the order they run in: `ward --order "random"`.

Running tests in a random order can help identify tests that have hidden dependencies on each other. Tests should pass regardless of the order they run in, and they should pass if run in isolation.

To have Ward always run tests in a random order, use the `order` config in your `pyproject.toml`:

```
[tool.ward]
order = "random"
```


3.2.13 Displaying symbols in diffs with `--show-diff-symbols`

Use `--show-diff-symbols` when invoking `ward` in order to have the diff output present itself with symbols instead of the colour-based highlighting. This may be useful in a continuous integration environment that doesn't support coloured terminal output.

```
LHS vs RHS shown below

+ abcdef
?  +
- abdefg
?  -
```

3.2.14 Debugging your code with `pdb/breakpoint()`

Ward will automatically disable output capturing when you use `pdb.set_trace()` or `breakpoint()`, and re-enable it when you exit the debugger.

```
PASS test_util:19[4/4] truncate('hello world', num_chars=5) returns 'he...'
Entering pdb - output capturing disabled.
> /Users/darrenburns/Code/ward/ward/tests/test_util.py(32)_()
-> assert project_root == Path(fs_root)
(Pdb) n
--Return--
> /Users/darrenburns/Code/ward/ward/tests/test_util.py(32)_()->None
-> assert project_root == Path(fs_root)
(Pdb) c
PASS test_util:27 find_project_root returns the root dir if no paths supplied
PASS test_util:45[1/2] find_project_root finds project root with 'pyproject.toml' file
PASS test_util:45[2/2] find_project_root finds project root with '.git' file
PASS test_util:68[1/3] group range(0, 5) by <function is_even at 0x10c159790> returns {True:
[0, 2, 4], False: [1, 3]}
```

3.3 Fixtures

A *fixture* is a function that provides tests with the data they need in order to run.

They provide a modular, composable alternative to `setup/before*` and `teardown/after*` methods that appear in many test frameworks.

3.3.1 Declaring and using a simple fixture

We can declare a fixture using the `@fixture` decorator. Let's define a fixture that represents a user on a website.

```
from ward import fixture

@fixture
def user():
    return User(id=1, name="sam")
```

Now lets add a test that will make use of the user fixture.

```
from ward import test

@test("fetch_user_by_id should return the expected User object")
def _(expected_user=user):
    fetched_user = fetch_user_by_id(id=expected_user.id)
    assert fetched_user == expected_user
```

By directly binding the fixture as a default argument to our test function, we've told Ward to resolve the fixture and inject it into our test. Inside our test, the variable `expected_user` is the object `User(id=1, name="sam")`.

3.3.2 The `@using` decorator

An alternative approach to injecting fixtures into tests is the `@using` decorator.

This approach lets us use positional arguments in our test signature, and declare which fixture each argument refers to using the decorator.

Here's how we'd inject our user fixture into a test with using:

```
from ward import expect, test, using

@test("fetch_user_by_id should return the expected User object")
@using(expected_user=user)
def _(expected_user):
    fetched_user = fetch_user_by_id(id=expected_user.id)
    assert fetched_user == expected_user
```

In the example above, we tell Ward to bind the resolved value of the user fixture to the `expected_user` position argument.

3.3.3 Fixture scope

By default, a fixture is executed immediately before each test it is injected into.

If the code inside your fixtures is expensive to execute, it may not be practical to have it run before every test that depends on it.

To solve this problem, Ward lets you give a "scope" to your fixtures. The scope of a fixture determines how long it is cached for.

Ward supports 3 scopes: `test` (default), `module`, and `global`.

- A test scoped fixture will be evaluated at most once per test.
- A module scoped fixture will be evaluated at most once per module.
- A global scoped fixture will be evaluated at most once per invocation of ward.

To make the user fixture global scope, we can change the decorator call to `@fixture(scope=Scope.Global)`.

```
from ward import fixture, Scope

@fixture(scope=Scope.Global) # @fixture(scope="global") also works
```

(continues on next page)

(continued from previous page)

```
def user():  
    return User(id=1, name="sam")
```

This fixture will be executed and cached the first time it is injected into a test.

Because it has a global scope, Ward will pass the cached value into all other tests that use it.

If user instead had a scope of `Scope.Module`, then Ward would re-evaluate the fixture when it's required by a test in any other module.

Careful management of fixture scope can drastically reduce the time and resources required to run a suite of tests.

As a general rule of thumb, if the value returned by a fixture is immutable, or we know that no test will mutate it, then we can make it global.

Warning: You should never mutate a global or module scoped fixture. Doing so breaks the isolated nature of tests, and introduces hidden dependencies between them. Ward will warn you if it detects a global or module scoped fixture has been mutated inside a test (coming in v1.0).

3.3.4 Fixture composition

Fixtures can be composed by injecting them into each other.

You can inject a fixture into another fixture in the same way that you'd inject it into a test: by binding it as a default argument.

```
@fixture  
def name():  
    return "sam"  
  
@fixture  
def user(name=name):  
    return {"name": name}  
  
@test("fixtures can be composed")  
def _(name=name, user=user):  
    assert user["name"] == name
```

In the example above, user depends on name, and the test depends on both user and name. Both fixtures are test scoped, so they are evaluated at most once per test. This means that the name instance that Ward passes into user is the same instance it passes into the test.

```
PASS test_composition:14: fixtures can be composed
```

3.3.5 Running teardown code

Fixtures have the ability to cleanup after themselves.

For a fixture to run teardown code, it must be declared as a *generator function*.

Notice how we `yield` the value of the fixture in the test below. Ward will inject the yielded value into the test, and after the test has run, all code below the `yield` will be executed.

```
from ward import test, fixture

@fixture
def database():
    print("1. I'm setting up the database!")
    db_conn = setup_database()
    yield db_conn
    db_conn.close()
    print("3. I've torn down the database!")

@test(f"Bob is one of the users contained in the database")
def _(db=database):
    print("2. I'm running the test!")
    users = get_all_users(db)
    assert "Bob" in users
```

The output captured by Ward whilst the test above runs is:

1. I'm setting up the database!
2. I'm running the test!
3. I've torn down the database!

Global and module scoped fixtures can also contain teardown code:

- In the case of a module scoped fixture, the teardown code will run after the test module completes.
- In the case of a global scoped fixture, the teardown code will run after the whole test suite completes.
- If an exception occurs during the setup phase of the fixture, the teardown phase will not run.
- If an exception occurs during the running of a test, the teardown phase of any fixtures that that test depends on will run.

3.3.6 Inspecting fixtures

You can view all of the fixtures in your project using the `ward fixtures` command.

```

ward.tests.utilities
utilities.py:33 dummy_fixture (scope: test)
utilities.py:41 fixture_b (scope: test)
utilities.py:49 fixture_a (scope: test)
utilities.py:57 fixtures (scope: test)
utilities.py:62 module (scope: test)
utilities.py:67 example_test (scope: test)
test_collect
test_collect.py:27 named_test (scope: test)
test_collect.py:32 tests_to_search (scope: test)

```

To view the dependency graph of fixtures, and detect fixtures that are unused, you can run `ward fixtures --show-dependency-trees`:

```

ward.tests.utilities
utilities.py:33 dummy_fixture (scope: test)
└─ used by no tests or fixtures
utilities.py:41 fixture_b (scope: test)
└─ used by fixtures
    └─ utilities.py:49 fixture_a (scope: test)
        └─ utilities.py:57 fixtures (scope: test)
            └─ utilities.py:67 example_test (scope: test)
                └─ test_suite.py:20 suite (scope: test)
utilities.py:57 fixtures (scope: test)
└─ utilities.py:67 example_test (scope: test)
    └─ test_suite.py:20 suite (scope: test)
utilities.py:49 fixture_a (scope: test)
└─ depends on fixtures
    └─ utilities.py:41 fixture_b (scope: test)
used by fixtures
└─ utilities.py:57 fixtures (scope: test)
    └─ utilities.py:67 example_test (scope: test)
        └─ test_suite.py:20 suite (scope: test)
utilities.py:57 fixtures (scope: test)
└─ depends on fixtures
    └─ utilities.py:49 fixture_a (scope: test)
        └─ utilities.py:41 fixture_b (scope: test)
    └─ utilities.py:41 fixture_b (scope: test)
used by fixtures
└─ utilities.py:67 example_test (scope: test)
    └─ test_suite.py:20 suite (scope: test)
utilities.py:62 module (scope: test)
└─ used by fixtures
    └─ utilities.py:67 example_test (scope: test)
        └─ test_suite.py:20 suite (scope: test)
    └─ test_suite.py:11 skipped_test (scope: test)
└─ used directly by tests
    └─ test_suite:51 Suite.generate_test_runs yields a FAIL TestResult on `assert False`
    └─ test_suite:99 Suite.generate_test_runs fixture teardown code is ran in the expected
        order

```

3.4 Extending Ward

Ward calls a series of *hook* functions throughout a test session. You can provide your own implementations of these hooks in order to extend Ward's behaviour. The full list of hook functions that Ward calls, along with examples of how you can implement them, are listed in "*What hooks are available?*".

Ward uses pluggy, which is the same plugin framework used by pytest. The [pluggy docs](#) offer deeper insight into how the plugin system works, as well as some more advanced options.

Note: Where the pluggy docs refer to `@hookimpl`, that's what Ward calls `@hook`.

3.4.1 User supplied configuration

When you write a plugin, users need to be able to provide some configuration to customise it to suit their needs.

Each Ward plugin gets its own section of the `pyproject.toml` configuration file. Say your plugin on PyPI is called `ward-bananas`, then your users will be able to configure your plugin by adding values to the `[tool.ward.plugins.bananas]` sections:

```
[tool.ward.plugins.bananas]
num_bananas = 3
```

In your plugin you can examine the configuration supplied by the user through the `Config` object. Here's an example of how we'd read the configuration above.

```
@hook
def before_session(config: Config) -> Optional[ConsoleRenderable]:
    # Get all the config the user supplied for our plugin `ward-bananas`
    banana_config: Dict[str, Any] = config.plugin_config.get("bananas", {})
    # Get the specific config item `num_bananas`
    num_bananas = banana_config.get("num_bananas")
    # Make use of our config value to customise our plugin's behaviour!
    if num_bananas:
        print("banana" * num_bananas)
```

3.4.2 What hooks are available?

You can write implement these hooks inside the project you're testing, or inside a separate package. You can upload your package to PyPI in order to share it with others.

If you implement the hooks inside your test project, you'll need to register them in your `pyproject.toml` config file, so that Ward knows where to find your custom implementations:

```
hook_module = ["module.containing.hooks"]
```

If you write them in a separate Python package (i.e., a plugin), then the hooks will be registered automatically, as explained in "*Packaging your code into a plugin*".

Run code *before* the test run with `before_session`

`SessionHooks.before_session(config: ward.config.Config) → Optional[rich.console.ConsoleRenderable]`
Hook which is called immediately at the start of a test session (before tests are collected).

You can implement this hook to run some setup code.

This hook has no default implementation. If you implement it, you will not be overriding any existing functionality.

Examples of how you could use this hook:

- Printing some information to the terminal about your plugin.
- Creating a file on disk which you'll write to in other hooks.

If you return a `rich.console.ConsoleRenderable` [\[https://rich.readthedocs.io/en/latest/protocol.html#console-renderer\]](https://rich.readthedocs.io/en/latest/protocol.html#console-renderer) from this function, it will be rendered to the terminal.

Example: printing information to the terminal

```
Loaded config from pyproject.toml.
Found 162 tests and 44 fixtures in 0.23 seconds.

Hello from 'before_session'!

PASS test_collect:40 filter_tests matches on qualified t
PASS test_collect:46 filter_tests matches on test name a
PASS test_collect:52 filter_tests query='fox' returns t
PASS test_collect:58 filter_tests returns an empty gene
```

Here's how you could implement a hook in order to achieve the outcome shown above.

```
from rich.console import RenderResult, Console, ConsoleOptions, ConsoleRenderable
from ward.config import Config
from ward.hooks import hook

@hook
def before_session(config: Config) -> Optional[ConsoleRenderable]:
    return WillPrintBefore()

class WillPrintBefore:
    def __rich_console__(
        self, console: Console, console_options: ConsoleOptions
    ) -> RenderResult:
        yield Panel(Text("Hello from 'before session'!", style="info"))
```

Run code *after* the test run with `after_session`

`SessionHooks.after_session`(*config*: `ward.config.Config`, *test_results*: `List[ward.testing.TestResult]`, *status_code*: `ward.models.ExitCode`) → `Optional[rich.console.ConsoleRenderable]`

Hook that runs right before a test session ends (just before the result summary is printed to the terminal).

This hook has no default implementation. If you implement it, you will not be overriding any existing functionality.

Examples of how you could use this hook:

- Writing additional information to the terminal after the test session finishes.
- Writing a file (e.g. an HTML report) to disk containing the results from the test session.
- Sending a file containing the results off somewhere for storage/processing.

If you return a `rich.console.ConsoleRenderable` from this function, it will be rendered to the terminal.

Example: printing information about the session to the terminal

```

PASS test_util:20[3/4] truncate('hello world', num_chars=10)
PASS test_util:20[4/4] truncate('hello world', num_chars=5) re

```

```

Hello from `after_session`! We ran 4 tests!

```

```

Results
4 Tests Encountered
4 Passes (100.0%)

```

```

SUCCESS in 0.09 seconds

```

Here's how you could implement a hook in order to achieve the outcome shown above.

```

from typing import Optional, List

from rich.console import RenderResult, Console, ConsoleOptions, ConsoleRenderable
from rich.panel import Panel
from rich.text import Text
from ward.config import Config
from ward.hooks import hook
from ward.models import ExitCode
from ward.testing import TestResult

@hook
def after_session(
    config: Config, results: List[TestResult], exit_code: ExitCode
) -> Optional[ConsoleRenderable]:
    return SummaryPanel(test_results)

```

(continues on next page)

(continued from previous page)

```

class SummaryPanel:
    def __init__(self, results: List[TestResult]):
        self.results = results

    @property
    def time_taken(self):
        return sum(r.test.timer.duration for r in self.results)

    def __rich_console__(
        self, console: Console, console_options: ConsoleOptions
    ) -> RenderResult:
        yield Panel(
            Text(f"Hello from `after_session`! We ran {len(self.results)} tests!")
        )

```

Filter, sort, or modify collected tests with preprocess_tests

SessionHooks.**preprocess_tests**(*config*: ward.config.Config, *collected_tests*: List[ward.testing.Test])
 Called before tests are filtered out by `--search`, `--tags`, etc, and before assertion rewriting.

Allows you to transform or filter out tests (by modifying the `collected_tests` list in place).

This hook has no default implementation. You can implement it without overriding existing functionality.

Examples of how you could use this hook:

- Filter out tests
- Reorder tests
- Generate statistics about tests pre-run
- Attach some data to each test to use later

Example: tagging tests that span many lines

In the code below, we implement `preprocess_tests` to automatically tag “big” tests which contain more than 15 lines of code.

```

@hook
def preprocess_tests(self, config: Config, collected_tests: List[Test]):
    """
    Attaches a tag 'big' to all tests which contain > 15 lines
    """
    for test in collected_tests:
        if len(inspect.getsourcelines(test.fn)[0]) > 15:
            test.tags.append("big")

```

With this hook in place, we can run all tests that we consider “big” using `ward --tags big`. We can also run tests that we don’t consider to be “big” using `ward --tags 'not big'`.

3.4.3 Packaging your code into a plugin

A *plugin* is a collection of hook implementations that come together to provide some functionality which can be shared with others.

If you've wrote implementations for one or more of the hooks provided by Ward, you can share those implementations with others by creating a plugin and uploading it to PyPI.

Others can then install your plugin using a tool like `pip` or `poetry`.

After they install your plugin, the hooks within will be registered automatically (no need to update any config).

Here's an example of a `setup.py` file for a plugin called `ward-html`:

```
from distutils.core import setup

setup(
    # The name must start with 'ward-'
    name="ward-html",
    # The version of your plugin
    version="0.1.0",
    # The plugin code lives in a single module: ward_html.py
    py_modules=["ward_html"],
    # Ward only supports 3.6+
    python_requires=">=3.6",
    # Choose the version of ward you wish to target
    install_requires=[
        "ward>=0.57.0b0",
    ],
    # IMPORTANT! Adding the 'ward' entry point means your plugin
    # will be automatically registered. Users will only need to
    # "pip install" it, and it will work having to specify it in
    # a config file or anywhere else.
    entry_points={"ward": ["ward-html = ward_html"]},
)
```

This is a minimal example. [This page](#) on the official Python docs offers more complete coverage on all of the functionality offered by `setuptools`.

3.5 Configuration

3.5.1 How does Ward use `pyproject.toml`?

You can configure Ward using the standard `pyproject.toml` configuration file, defined in PEP 518.

You don't need a `pyproject.toml` file to use Ward.

If you do decide to use one, Ward will find and read your `pyproject.toml` file, and treat the values inside it as defaults.

If you pass an option via the command line that also appears in your `pyproject.toml`, the option supplied via the command line takes priority.

3.5.2 Where does Ward look for `pyproject.toml`?

The algorithm Ward uses to discover your `pyproject.toml` is described at a high level below.

1. Find the common base directory of all files passed in via the `--path` option (default to the current working directory).
2. Starting from this directory, look at all parent directories, and return the file if it is found.
3. If a directory contains a `.git` directory/file, a `.hg` directory, or the `pyproject.toml` file, stop searching.

This is the same process Black (the popular code formatting tool) uses to discover the file.

3.5.3 Example `pyproject.toml` config file

The `pyproject.toml` file contains different sections for different tools. Ward uses the `[tool.ward]` section, so all of your Ward configuration should appear there:

```
[tool.ward]
path = ["unit_tests", "integration_tests"] # supply multiple paths using a list
capture-output = false # enable or disable output capturing (e.g. to use debugger)
order = "standard" # or 'random'
test-output-style = "test-per-line" # or 'dots-global', 'dot-module'
fail-limit = 20 # stop the run if 20 fails occur
search = "my_function" # search in test body or description
progress-style = ["bar"] # display a progress bar during the run
```

3.6 Your First Tests

In this tutorial, we'll write two tests using Ward. These tests aren't realistic, nor is the function we're testing. This page exists to give a tour of some of the main features of Ward and their motivations. We'll define reusable test data in a fixture, and pass that data into our tests. Finally, we'll look at how we can cache that test data to improve performance.

3.6.1 Installing Ward

Ward is available on PyPI, so it can be installed using pip: `pip install ward`.

When you run `ward` with no arguments, it will recursively look for tests starting from your current directory.

Ward will look for tests in any Python module with a name that starts with `test_` or ends with `_test`.

We're going to write tests for a function called `contains`:

```
def contains(list_of_items, target_item):
    ...
```

This function should return `True` if the `target_item` is contained within `list_of_items`. Otherwise it should return `False`.

3.6.2 Our first test

Tests in Ward are just Python functions decorated with `@test(description: str)`.

Functions with this decorator can be named `_`. We'll tell readers what the test does using a plain English description rather than the function name.

Our test is contained within a file called `test_contains.py`:

```
from contains import contains
from ward import test

@test("contains returns True when the item is in the list")
def _():
    list_of_ints = list(range(100000))
    result = contains(list_of_ints, 5)
    assert result
```

In this file, we've defined a single test function called `_`. It's been decorated with `@test`, and has a helpful description. We don't have to read the code inside the test to understand its purpose.

The description can be queried when running a subset of tests. You may decide to use your own conventions inside the description in order to make your tests highly queryable.

Now we can run `ward` in our terminal.

Ward will find and run the test, and confirm that the test PASSED with a message like the one below.

```
PASS test_contains:4: contains returns True when item is in list
```

3.6.3 Fixtures: Extracting common setup code

Lets add another test.

```
@test("contains returns False when item is not in list")
def _():
    list_of_ints = list(range(100000))
    result = contains(list_of_ints, -1)
    assert not result
```

This test begins by instantiating the same list of 10 integers as the first test. This duplicated setup code can be extracted out into a fixture so that we don't have to repeat ourselves at the start of every test.

The `@fixture` decorator lets us define a fixture, which is a unit of test setup code. It can optionally contain some additional code to clean up any resources the it used (e.g. cleaning up a test database).

Lets define a fixture immediately above the tests we just wrote.

```
from ward import fixture

@fixture
def list_of_ints():
    return list(range(100000))
```

We can now rewrite our tests to make use of this fixture. Here's how we'd rewrite the second test.

```
@test("contains returns False when item is not in list")
def _(l=list_of_ints):
    result = contains(l, -1)
    assert not result
```

By binding the name of the fixture as a default argument to the test, Ward will resolve it before the test runs, and inject it into the test.

By default, a fixture is executed immediately before being injected into a test. In the case of `list_of_ints`, that could be problematic if lots of tests depend on it. Do we really want to instantiate a list of 100000 integers before each of those tests? Probably not.

3.6.4 Improving performance with fixture scoping

To avoid this repeated expensive test setup, you can tell Ward what the scope of a fixture is. The scope of a fixture defines how long it should be cached for.

Ward supports 3 scopes: test (default), module, and global.

- A *test* scoped fixture will be evaluated at most once per test.
- A *module* scoped fixture will be evaluated at most once per test module.
- A *global* scoped fixture will be evaluated at most once per invocation of `ward`.

If a fixture is never injected into a test or another fixture, it will never be evaluated.

We can safely say that we only need to generate our `list_of_ints` once, and we can reuse its value in every test that depends on it. So lets give it a global scope:

```
from ward import fixture, Scope

@fixture(scope=Scope.Global) # or scope="global"
def list_of_ints():
    return list(range(100000))
```

With this change, our fixture will now only be evaluated once, regardless of how many tests depend on it. Careful management of fixture scope can drastically reduce the time and resources required to run a suite of tests.

As a general rule of thumb, if the value returned by a fixture is immutable, or we know that no test will mutate it, then we can make it global.

Warning: You should *never* mutate a global or module scoped fixture. Doing so breaks the isolated nature of tests, and introduces hidden dependencies between them.

3.6.5 Summary

In this tutorial, you learned how to write your first tests with Ward. We covered how to write a test, inject a fixture into it, and cache the fixture for performance.

3.7 Testing a Flask App

Let's write a couple of tests using Ward for the following Flask application (`app.py`).

It's an app that contains a single endpoint. If you run this app with `python -m app`, then visit `localhost:5000/users/alice` in your browser, you should see that the application returns the response `The user is alice`.

```
# file: app.py
from flask import Flask

app = Flask(__name__)

@app.route("/users/<string:username>")
def get_user(username: str):
    return f"The user is {username}"

if __name__ == "__main__":
    app.run()
```

A common way of testing Flask applications is to use the helpful `TestClient` class. Using `TestClient`, we can easily make requests to our app, and see how it behaves and responds.

Before going any further, let's install `ward` and `flask`:

```
pip install ward flask
```

Create a new file called `test_app.py`, and inside it, let's define a fixture to configure the Flask application for testing. We'll inject this fixture into each of our tests, and this will allow us to send requests to our application and ensure it's behaving correctly!

```
from ward import fixture
from app import app

@fixture(scope="global")
def test_client():
    app.config["TESTING"] = True # For better error reports
    with app.test_client() as client:
        yield client
```

This fixture yields an instance of the `TestClient`, which can be accessed from the Flask object we used to create our app.

We only need to create a single test client, which we can reuse across all tests in our test session, so the scope of the fixture is set to `"global"`.

Yielding the client from within the `with` statement means that any resources used by the client will be cleaned up after the test session completes.

Now we'll create our first test, which will check that our app returns the correct HTTP status code when we visit our endpoint with a valid username ("alice"). The status code we expect to see in this case is an HTTP 200 (OK).

```
from ward import fixture, test
from app import app

@fixture(scope="global")
def test_client():
    app.config["TESTING"] = True # For better error reports
    with app.test_client() as client:
        yield client

@test("/users/alice returns an 200 OK")
def _(client=test_client):
    res = client.get("/users/alice")
    assert res.status_code == 200
```

We can run our test by running ward in our terminal:

```
Ward 0.51.1b0
Found 1 tests and 1 fixtures in 0.14 seconds.
PASS test_app:12 /users/alice returns a 200 OK

Results
1 Tests Encountered
1 Passes (100.0%)

SUCCESS in 0.15 seconds
```

Success! It's a PASS! The fully green bar indicates a 100% success rate!

Tip: If we had lots of other, unrelated endpoints in our API and we only wanted to run the tests that affect the `/users/` endpoint, we could do so using the command `ward --search "/users/"`.

Let's add another test below, to check that the body of the response is what we expect it to be.

```
@test("/users/alice returns the body 'The user is alice'")
def _(client=test_client):
    res = client.get("/users/alice")
    assert res.data == "The user is alice"
```

Running our tests again, we see that our new test fails!

```

Ward 0.51.1b0
Found 2 tests and 1 fixtures in 0.14 seconds.
PASS test_app:13 /users/alice returns a 200 OK
FAIL test_app:19 /users/alice returns the body 'The user is alice'

/users/alice returns the body 'The user is alice'

Failed at test_app.py:22

19 @test("/users/alice returns the body 'The user is alice'")
20 def _(client=test_client):
21     res = client.get("/users/alice")
22     assert res.data == "The user is alice"

LHS vs RHS shown below

b'The user is alice'
The user is alice

Results
2 Tests Encountered
1 Passes (50.0%)
1 Failures (50.0%)

FAILED in 0.20 seconds

```

Looking at our output, we can see that while we expected the output to be The user is alice, it was actually b'The user is alice'. Ward highlights the specific differences between the expected value and the actual value to help you quickly spot bugs.

This test failed because because `res.data` returns a bytes object, not a string like our we thought when we wrote our test. Let's correct the test:

```

@test("/users/alice returns the body 'The user is alice'")
def _(client=test_client):
    res = client.get("/users/alice")
    assert res.data == b"The user is alice"

```

If we run our tests again using ward, we see that they both PASS!

```

Ward 0.51.1b0
Found 2 tests and 1 fixtures in 0.07 seconds.
PASS test_app:13 /users/alice returns a 200 OK
PASS test_app:19 /users/alice returns the body 'The user is alice'

Results
2 Tests Encountered
2 Passes (100.0%)

SUCCESS in 0.08 seconds

```

3.8 ward.testing

3.8.1 Standard API

`ward.testing.skip`(*func_or_reason*: *Optional[Union[str, Callable]] = None*, *, *reason*: *Optional[str] = None*, *when*: *Union[bool, Callable] = True*)

Decorator which can be used to optionally skip tests.

Parameters

- **func_or_reason** (*object*) – The wrapped test function to skip.
- **reason** – The reason the test was skipped. May appear in output.
- **when** – Predicate function. Will be called immediately before the test is executed. If it evaluates to True, the test will be skipped. Otherwise the test will run as normal.

`ward.testing.test`(*description*: *str*, **args*, *tags*: *Optional[List[str]] = None*, ***kwargs*)

Decorator used to indicate that the function it wraps should be collected by Ward.

Parameters

- **description** – The description of the test. A format string. Resolve fixtures and default params that are injected into the test will also be injected into this description before it gets output in the test report. The description can contain basic Markdown syntax (bold, italic, backticks for code, etc.).
- **tags** – An optional list of strings that will ‘tag’ the test. Many tests can share the same tag, and these tags can be used to group tests in some logical manner (for example: by business domain or test type). Tagged tests can be queried using the `-tags` option.

`ward.testing.xfail`(*func_or_reason*: *Optional[Union[str, Callable]] = None*, *, *reason*: *Optional[str] = None*, *when*: *Union[bool, Callable] = True*)

Decorator that can be used to mark a test as “expected to fail”.

Parameters

- **func_or_reason** – The wrapped test function to mark as an expected failure.
- **reason** – The reason we expect the test to fail. May appear in output.
- **when** – Predicate function. Will be called immediately before the test is executed. If it evaluates to True, the test will be marked as an expected failure. Otherwise the test will run as normal.

3.8.2 Plugin API

This section contains items from this module that are intended for use by plugin authors or those contributing to Ward itself. If you’re just using Ward to write your tests, this section isn’t relevant.

```
class ward.testing.Test(fn: Callable, module_name: str, id: str = <factory>, marker:
    Optional[ward.models.Marker] = None, description: str = "", param_meta:
    ward.testing.ParamMeta = <factory>, capture_output: bool = True, sout:
    _io.StringIO = <factory>, serr: _io.StringIO = <factory>, ward_meta:
    ward.models.CollectionMetadata = <factory>, timer:
    Optional[ward._testing.Timer] = None, tags: List[str] = <factory>)
```

Representation of a test case.

fn

The Python function object that contains the test code.

Type Callable

module_name

The name of the module the test is defined in.

Type str

id

A unique UUID4 used to identify the test.

Type str

marker

Attached by the skip and xfail decorators.

Type Optional[ward.models.Marker]

description

The description of the test. A format string that can contain basic Markdown syntax.

Type str

param_meta

If this is a parameterised test, contains info about the parameterisation.

Type ward.testing.ParamMeta

capture_output

If True, output will be captured for this test.

Type bool

sout

Buffer that fills with captured stdout as the test executes.

Type _io.StringIO

serr

Buffer that fills with captured stderr as the test executes.

Type _io.StringIO

ward_meta

Metadata that was attached to the raw functions collected by Ward's decorators.

Type *ward.models.CollectionMetadata*

timer

Timing information about the test.

Type Optional[ward._testing._Timer]

tags

List of tags associated with the test.

Type List[str]

find_number_of_instances() → int

Returns the number of instances that would be generated for the current parameterised test.

A parameterised test is only valid if every instance of *each* contains an equal number of items. If the current test is an invalid parameterisation, then a *ParameterisationError* is raised.

format_description(args: Dict[str, Any]) → str

Applies any necessary string formatting to the description, given a dictionary *args* of values that will be injected into the test.

This method will mutate the Test by updating the description. Returns the newly updated description.

get_parameterised_instances() → List[ward.testing.Test]

If the test is parameterised, return a list of *Test* objects representing each test generated as a result of the parameterisation. If the test is not parameterised, return a list containing only the test itself. If the test is parameterised incorrectly, for example the number of items don't match across occurrences of *each* in the test signature, then a *ParameterisationError* is raised.

property is_async_test: bool

True if the test is defined with 'async def'.

property is_parameterised: bool

True if a test is parameterised, False otherwise. A test is considered parameterised if any of its default arguments have a value that is an instance of *Each*.

property line_number: int

The line number the test is defined on. Corresponds to the line the first decorator wrapping the test appears on.

property name: str

The name of the Python function representing the test.

property path: pathlib.Path

The pathlib.Path to the test module.

property qualified_name: str

{module_name}.{test_function_name}

class ward.testing.TestOutcome(value)

Enumeration representing all possible outcomes of an attempt at running a test.

PASS

Represents a passing test outcome - no errors raised, no assertions failed, the test ran to completion.

FAIL

The test failed in some way - e.g. an assertion failed or an exception was raised.

SKIP

The test was skipped.

XFAIL

The test was expected to fail, and it did fail.

XPASS

The test was expected to fail, however it unexpectedly passed.

DRYRUN

The test was not executed because the test session was a dry-run.

class ward.testing.TestResult(test: ward.testing.Test, outcome: ward.testing.TestOutcome, error: Optional[BaseException] = None, message: str = "", captured_stdout: str = "", captured_stderr: str = "")

Represents the result of a single test, and contains data that may have been generated as part of the execution of that test (for example captured stdout and exceptions that were raised).

test

The test corresponding to this result.

Type ward.testing.Test

outcome

The outcome of the test: did it pass, fail, get skipped, etc.

Type ward.testing.TestOutcome

error

If an exception was raised during test execution, it is stored here.

Type Optional[BaseException]

message

An arbitrary message that can be associated with the result. Generally empty.

Type str

captured_stdout

A string containing anything that was written to stdout during the execution of the test.

Type str

captured_stderr

A string containing anything that was written to stderr during the execution of the test.

Type str

3.9 ward.fixtures

3.9.1 Standard API

`ward.fixtures.fixture`(*func=None, *, scope: Union[ward.models.Scope, str] = <Scope.Test: 'test'>*)
Decorator which will cause the wrapped function to be collected and treated as a fixture.

Parameters

- **func** – The wrapped function which should yield or return some data required to execute a test.
- **scope** – The scope of a fixture determines how long it can be cached for (and therefore how frequently the fixture should be regenerated).

`ward.fixtures.using`(**using_args*, ***using_kwargs*)

An alternative to the default param method of injecting fixtures into tests. Allows you to avoid using keyword arguments in your test definitions.

3.9.2 Plugin API

This section contains items from this module that are intended for use by plugin authors or those contributing to Ward itself. If you're just using Ward to write your tests, this section isn't relevant.

class `ward.fixtures.Fixture`(*fn: Callable, gen: Optional[Union[Generator, AsyncGenerator]] = None, resolved_val: Optional[Any] = None*)

Represents a piece of data that will be used in a test.

fn

The Python function object corresponding to this fixture.

Type Callable

gen

The generator, if applicable to this fixture.

Type Optional[Union[Generator, AsyncGenerator]]

resolved_val

The value returned by calling the fixture function (fn).

Type Any

deps()

The dependencies of the fixture.

property is_async_generator_fixture

True if this fixture is an async generator.

property is_coroutine_fixture

True if the fixture is defined with ‘async def’.

property is_generator_fixture

True if the fixture is a generator function (and thus may contain teardown code).

property key: str

A unique key used to identify fixture in the fixture cache. A string of the form ‘{path}::{name}’

property line_number: int

The line number that the fixture is defined on.

property module_name

The name of the module the fixture is defined in.

property name

The name of the fixture function.

parents() → List[ward.fixtures.Fixture]

Return the parent fixtures of this fixture, as a list of Fixtures.

property path

The pathlib.Path of the module the fixture is defined in.

teardown(capture_output: bool) → ward.fixtures.TearardownResult

Tears down the fixture by calling *next* or *__anext__*().

3.10 ward.config

3.10.1 Plugin API

This section contains items from this module that are intended for use by plugin authors or those contributing to Ward itself. If you’re just using Ward to write your tests, this section isn’t relevant.

```
class ward.config.Config(config_path: Optional[pathlib.Path], project_root: Optional[pathlib.Path], path: Tuple[str], exclude: Tuple[str], search: Optional[str], tags: Optional[cucumber_tag_expressions.model.Expression], fail_limit: Optional[int], test_output_style: str, order: str, capture_output: bool, show_slowest: int, show_diff_symbols: bool, dry_run: bool, hook_module: Tuple[str], progress_style: Tuple[str], plugin_config: Dict[str, Dict[str, Any]])
```

Dataclass providing access to the user configuration that has been supplied to Ward

3.11 ward.hooks

3.11.1 Plugin API

This section contains items from this module that are intended for use by plugin authors or those contributing to Ward itself. If you're just using Ward to write your tests, this section isn't relevant.

class `ward.hooks.SessionHooks`

after_session(*config*: `ward.config.Config`, *test_results*: `List[ward.testing.TestResult]`, *status_code*: `ward.models.ExitCode`) → `Optional[rich.console.ConsoleRenderable]`

Hook that runs right before a test session ends (just before the result summary is printed to the terminal).

This hook has no default implementation. If you implement it, you will not be overriding any existing functionality.

Examples of how you could use this hook:

- Writing additional information to the terminal after the test session finishes.
- Writing a file (e.g. an HTML report) to disk containing the results from the test session.
- Sending a file containing the results off somewhere for storage/processing.

If you return a `rich.console.ConsoleRenderable` from this function, it will be rendered to the terminal.

before_session(*config*: `ward.config.Config`) → `Optional[rich.console.ConsoleRenderable]`

Hook which is called immediately at the start of a test session (before tests are collected).

You can implement this hook to run some setup code.

This hook has no default implementation. If you implement it, you will not be overriding any existing functionality.

Examples of how you could use this hook:

- Printing some information to the terminal about your plugin.
- Creating a file on disk which you'll write to in other hooks.

If you return a `rich.console.ConsoleRenderable` <<https://rich.readthedocs.io/en/latest/protocol.html#console-render>> from this function, it will be rendered to the terminal.

preprocess_tests(*config*: `ward.config.Config`, *collected_tests*: `List[ward.testing.Test]`)

Called before tests are filtered out by `--search`, `--tags`, etc, and before assertion rewriting.

Allows you to transform or filter out tests (by modifying the `collected_tests` list in place).

This hook has no default implementation. You can implement it without overriding existing functionality.

Examples of how you could use this hook:

- Filter out tests
- Reorder tests
- Generate statistics about tests pre-run
- Attach some data to each test to use later

3.12 ward.models

3.12.1 Plugin API

This section contains items from this module that are intended for use by plugin authors or those contributing to Ward itself. If you're just using Ward to write your tests, this section isn't relevant.

```
class ward.models.CollectionMetadata(marker: Optional[ward.models.Marker] = None, description:
    Optional[str] = None, tags: Optional[List[str]] = None, is_fixture:
    bool = False, scope: ward.models.Scope = <Scope.Test: 'test'>,
    bound_args: Optional[inspect.BoundArguments] = None, path:
    Optional[pathlib.Path] = None)
```

Attached to tests and fixtures during the collection phase for later use.

```
class ward.models.ExitCode(value)
    Enumeration of the possible exit codes that Ward can exit with.
```

```
class ward.models.Scope(value)
    The scope of a fixture defines how long it will be cached for.
```

Test

A test-scoped fixture will be called each time a dependent test runs.

Module

A module-scoped fixture will be called at most once per test module.

Global

A global-scoped fixture will be called at most once per invocation of `ward`.

```
class ward.models.SkipMarker(name: str = 'SKIP', reason: Optional[str] = None, when: Union[bool,
    Callable] = True)
```

Marker that gets attached to a test (via `CollectionMetadata`) to indicate it should be skipped.

```
class ward.models.XfailMarker(name: str = 'XFAIL', reason: Optional[str] = None, when: Union[bool,
    Callable] = True)
```

Marker that gets attached to a test (via `CollectionMetadata`) to indicate that we expect it to fail.

3.13 ward.expect

3.13.1 Standard API

```
ward.expect.assert_equal(lhs_val: Any, rhs_val: Any, assert_msg: str) → None
```

Check whether two objects are equal. Raises a `TestFailure` if not. :param lhs_val: The value on the left side of `==` :param rhs_val: The value on the right side of `==` :param assert_msg: The assertion message from the `assert` statement

Returns: None Raises: `TestFailure`

```
ward.expect.assert_greater_than(lhs_val: Any, rhs_val: Any, assert_msg: str) → None
```

Check `lhs_val` is greater than the `rhs_val` via `lhs_val > rhs_val`. Raises `TestFailure` if not.

Parameters

- **lhs_val** – The value on the left side of `>`
- **rhs_val** – The value on the right side of `>`
- **assert_msg** – The assertion message from the `assert` statement

Returns: None Raises: TestFailure

`ward.expect.assert_greater_than_equal_to(lhs_val: Any, rhs_val: Any, assert_msg: str) → None`
Check `lhs_val` is greater than or equal to the `rhs_val` via `lhs_val >= rhs_val`. Raises `TestFailure` if not.

Parameters

- **lhs_val** – The value on the left side of `>=`
- **rhs_val** – The value on the right side of `>=`
- **assert_msg** – The assertion message from the `assert` statement

Returns: None Raises: TestFailure

`ward.expect.assert_in(lhs_val: Any, rhs_val: Any, assert_msg: str) → None`
Check if an object is contained within another via `lhs_val in rhs_val`. Raises `TestFailure` if not.

Parameters

- **lhs_val** – The value on the left side of `in`
- **rhs_val** – The value on the right side of `in`
- **assert_msg** – The assertion message from the `assert` statement

Returns: None Raises: TestFailure

`ward.expect.assert_is(lhs_val: Any, rhs_val: Any, assert_msg: str) → None`
Check the object identity via `lhs_val is rhs_val`. Raises `TestFailure` if not identical.

Parameters

- **lhs_val** – The value on the left side of `is`
- **rhs_val** – The value on the right side of `is`
- **assert_msg** – The assertion message from the `assert` statement

Returns: None Raises: TestFailure

`ward.expect.assert_is_not(lhs_val: Any, rhs_val: Any, assert_msg: str) → None`
Check the object identity via `lhs_val is not rhs_val`. Raises `TestFailure` if identical.

Parameters

- **lhs_val** – The value on the left side of `is not`
- **rhs_val** – The value on the right side of `is not`
- **assert_msg** – The assertion message from the `assert` statement

Returns: None Raises: TestFailure

`ward.expect.assert_less_than(lhs_val: Any, rhs_val: Any, assert_msg: str) → None`
Check `lhs_val` is less than the `rhs_val` via `lhs_val < rhs_val`. Raises `TestFailure` if not.

Parameters

- **lhs_val** – The value on the left side of `<`
- **rhs_val** – The value on the right side of `<`
- **assert_msg** – The assertion message from the `assert` statement

Returns: None Raises: TestFailure

`ward.expect.assert_less_than_equal_to(lhs_val: Any, rhs_val: Any, assert_msg: str) → None`
Check `lhs_val` is less than or equal to the `rhs_val` via `lhs_val <= rhs_val`. Raises `TestFailure` if not.

Parameters

- **lhs_val** – The value on the left side of <=
- **rhs_val** – The value on the right side of <=
- **assert_msg** – The assertion message from the `assert` statement

Returns: None Raises: `TestFailure`

`ward.expect.assert_not_equal(lhs_val: Any, rhs_val: Any, assert_msg: str) → None`
 Check whether two objects are not equal to each other. Raises a `TestFailure` if not.

Parameters

- **lhs_val** – The value on the left side of !=
- **rhs_val** – The value on the right side of !=
- **assert_msg** – The assertion message from the `assert` statement

Returns: None Raises: `TestFailure`

`ward.expect.assert_not_in(lhs_val: Any, rhs_val: Any, assert_msg: str) → None`
 Check if an object is not contained within another via `lhs_val not in rhs_val`. Raises `TestFailure` if `lhs` is contained within `rhs`.

Parameters

- **lhs_val** – The value on the left side of `not in`
- **rhs_val** – The value on the right side of `not in`
- **assert_msg** – The assertion message from the `assert` statement

Returns: None Raises: `TestFailure`

`class ward.expect.raises(expected_ex_type: Type[ward.expect._E])`

PYTHON MODULE INDEX

W

`ward.config`, 39
`ward.expect`, 41
`ward.fixtures`, 38
`ward.models`, 41
`ward.testing`, 35

A

after_session() (*ward.hooks.SessionHooks* method), 40
 assert_equal() (*in module ward.expect*), 41
 assert_greater_than() (*in module ward.expect*), 41
 assert_greater_than_equal_to() (*in module ward.expect*), 42
 assert_in() (*in module ward.expect*), 42
 assert_is() (*in module ward.expect*), 42
 assert_is_not() (*in module ward.expect*), 42
 assert_less_than() (*in module ward.expect*), 42
 assert_less_than_equal_to() (*in module ward.expect*), 42
 assert_not_equal() (*in module ward.expect*), 43
 assert_not_in() (*in module ward.expect*), 43

B

before_session() (*ward.hooks.SessionHooks* method), 40

C

CollectionMetadata (*class in ward.models*), 41
 Config (*class in ward.config*), 39

E

ExitCode (*class in ward.models*), 41

F

fixture() (*in module ward.fixtures*), 38

G

Global (*ward.models.Scope* attribute), 41

M

module

- ward.config, 39
- ward.expect, 41
- ward.fixtures, 38
- ward.models, 41
- ward.testing, 35

Module (*ward.models.Scope* attribute), 41

P

preprocess_tests() (*ward.hooks.SessionHooks* method), 40

R

raises (*class in ward.expect*), 43

S

Scope (*class in ward.models*), 41
 SessionHooks (*class in ward.hooks*), 40
 skip() (*in module ward.testing*), 35
 SkipMarker (*class in ward.models*), 41

T

Test (*ward.models.Scope* attribute), 41
 test() (*in module ward.testing*), 35

U

using() (*in module ward.fixtures*), 38

W

ward.config
 module, 39
 ward.expect
 module, 41
 ward.fixtures
 module, 38
 ward.models
 module, 41
 ward.testing
 module, 35

X

xfail() (*in module ward.testing*), 35
 XfailMarker (*class in ward.models*), 41